

Safety Data Sheet

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

Date of Revision: 09/05/2017

Revision: 01

Section 1 - Chemical Product and Company Identification

1.1 Product Name: MR Pro 6

1.2 Synonyms: Blend

- 1.3 VP Racing Fuels, Inc., 7124 Richter Road, Elmendorf, TX 78112, 210.635.7744
- 1.4 Recommended Use: Racing Fuel
- 1.5 RESTRICTIONS on USE THIS FUEL IS FOR RACING VEHICLE USE ONLY!

NOT LEGAL FOR STREET DRIVEN MOTOR VEHICLE

1.6 Emergency Telephone: CHEMTREC 800-424-9300

International Emergency Telephone Number: +1-703-527-3887

1.7 See Section 16.3 for CHEMTRC in Country Emergency Numbers

Section 2 - Hazards Identification

2.1 GHS HAZARD Hazard Classes

Hazard Categories

Highly Flammable liquid/vapor

Specific Target Organs toxicity single exposure Specific Target Organs toxicity repeated exposure Eye Irritation Skin Irritation Acute Toxicity (Oral) Mutagenicity Carcinogen Reproductive Toxicity Aspiration Hazard Category 2 Category 3 Category 1 Category 2A Category 2 Category 4 Category 1B Category 1B Category 2 Category 2 Category 2

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace

Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

Toxic to Aquatic Life Long Lasting Effects

Category 2

2.2 Signal Word: Danger

2.4 Hazard Statements



2.3 Pictograms:

Flame

PHYSICAL HAZARDS:	H225: Highly flammable liquid and vapor
HEALTH HAZARDS:	 H302: Harmful if swallowed H304: May be fatal if swallowed and enter the airway H315: Causes skin irritation H319: Causes serious eye irritation H336: May cause drowsiness or dizziness H340: May cause genetic defects H350: May cause cancer H361: Suspected of damaging fertility or the unborn child H372: Causes damage to organs through prolonged or repeated exposure
ENVIRONMENTAL HAZARDS:	H411: Toxic to aquatic life with long lasting effects
PRECAUTIONARY STATEMENTS:	 P102: Keep out of reach of children P201: Obtain special instructions before use. READ SDS BEFORE USE P202: Do not handle until all safety precautions have been read and understood P210: Keep away from sparks and open flames- No smoking P240: Ground or bond container and receiving equipment P241: Use explosion-proof equipment P242 Use only non-sparking tools P260: Do not breathe vapors P264: Wash hands thoroughly after handling P270: Do not eat, drink or smoke when using this product P271: Use only outdoors or in well ventilated area

MR Pro 6 Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act P273: Avoid release to the environment P280: Wear protective gloves, clothing and eye protection **RESPONSE STATEMENTS:** P301 +P310+ P331: IF SWALLOWED: USA Immediately call the National POISON CENTER at 800-222-1222. OUTSIDE USA Immediately call poison center or doctor.DO NOT induce vomiting P303+P361+P353: IF ON SKIN Take off immediately all contaminated clothing. Rinse skin with water P304+P340: IF INHALED. Remove to fresh air and keep comfortable for breathing P305+P351: IF IN EYES rinse cautiously with water for at least 15 minutes P308+P313: If exposed or concerned get medical attention P362+P364: IF ON CLOTHING, take off contaminated clothing and wash it before reuse P313+P332+P337: If skin or eye irritation persists get medical attention H314: Get medical attention if you feel unwell P330: Rinse mouth P370: In case of fire use foam, carbon dioxide, dry

chemical to extinguish fire P376: Stop leaks if safe to do so. **STORAGE STATEMENTS:** P403+P405+P235: Store in a well-ventilated place, store locked up and keep cool **DISPOSAL STATEMENTS:** P501: Dispose of content and/or container in accordance with local, regional, national or international regulations

2.5 Hazards not otherwise classified (HNOC) or not covered by GHS: Repeated exposure may cause skin dryness or cracking.

. .

Section 3 - Composition / Information on Ingredients					
3.1					
CAS#	EC#	Chemical Names	Percent	Classification	
N/A	N/A	Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	75 - 80%	None	
637-92-3	211-309-7	2-Methyl-2-ethoxypropane	20-25%	Flam. Liq. 2 H225, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Eye Irrit 2, H319, STOT SE 3 Central nervous Sys Inhalation H336	

Page 3 of 14

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

ChemicalNames	CAS#	EC/List#	Classification
2, 2, 4-Trimethylpentane	540-84-1	208-759-1	Flam. Liq. 2 H225, Asp. Tox. 1 H304, Skin Irrit. 2 H315, Eye Irrit 2, H319, STOT SE 3 H336, Repr. 2 H361, Aquatic Chronic 1 H410, Aquatic Acute 1 H400
Mesitylene	108-67-8	203-604-4	Flam. Liq. 3 H226, Skin Irrit. 2 H315, STOT SE 3 unknown H335, Aquatic Chronic 2 H411
2-Methylbutadiene	78-79-5	201-143-3	Flam. Liq. 1 H224, Muta 2 H341, Carc.1B H350, Aquatic Chronic 2 H411

3.3 Trade Secret Provision and Chemical Concentration Disclosure: In accordance with OSHA and GHS Regulations we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a range and are applicable to the hazards as identified in this Safety Data Sheet

Section 4 - First Aid Measures

4.1 Eye: Contact with the eyes can cause serious irritation. Symptoms may include discomfort or pain and redness. Severe overexposure can result in swelling of the conjunctiva along with tissue damage.

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

4.2 Skin: Prolonged and repeated liquid contact can cause defatting and drying of the skin and can lead to irritation and/or dermatitis.

Skin: Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately. Wash clothing before reuse.

4.3 Ingestion: Liquid ingestion can cause inebriation, headache, gastrointestinal pain, nausea, and vomiting leading to central nervous system depression. Aspiration of liquid into the lungs must be avoided as even small quantities in the lungs can produce chemical pneumonia, pulmonary edema and even death.

Ingestion: Do NOT induce vomiting. Get medical aid immediately.

3.2 Blend

4.4 Inhalation: Prolonged breathing of high vapor concentrations can produce headache, dizziness, nausea, and impaired vision. Excessive overexposure can cause central nervous system depression, loss of consciousness, liver damage and death resulting from respiratory failure.

Inhalation: Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

4.5 After first aid, get appropriate paramedic, or community medical support. The severity of outcome following an exposure may be more related to the time between the exposure and treatment, rather than the amount of the exposure. Therefore, there is a need for rapid treatment of any exposure.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

4.6 Note to Physicians: If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement, in accordance with OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will upon written request disclose a specific chemical identity

Section 5 - Fire-Fighting Measures

5.1 General Fire Hazards: Use water to cool containers exposed to fire.

5.2 Hazardous Combustion Products: Avoid fumes of burning product.

5.3 Extinguishing Media: Carbon dioxide, dry chemical, foam.

5.4 Fire Fighting Equipment/Instructions: Fire fighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Fire fighters should avoid inhaling any combustion products.

Section 6 - Accidental Release Measures

6.1 Spill /Leak Procedures: Ventilate area highly flammable. Spillages of liquid product will create a fire hazard and may form an explosive atmosphere. Keep all sources of ignition away from the spill.

6.2 Spills: Avoid direct contact with material. Stop leak if without risk. Move containers from spill area. Prevent entry into sewers or waterways. Contain and collect spillage with non-combustible, absorbent material such as sand, earth, vermiculite or diatomaceous earth and place in a container for disposal.

Section 7 - Handling and Storage

7.1 Handling Precautions: Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin or clothing. Keep container tightly closed. Avoid inhalation.

7.2 Storage Requirements: Store in a tightly closed container in a cool, dry and well-ventilated area.

Section 8 - Exposure Controls / Personal Protection

0.1			-
Chemical Names	ACGIH- TLV	OSHA - PEL	
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	300 ppm TWA	300 ppm TWA	
2-Methyl-2-ethoxypropane	25 ppm TWA	25 ppm TWA	

8.2

week which shall not be exceeded.

0 1

ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value. OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits. NOTE: TWA Means "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour work

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

8.3 Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs Local exhaust ventilation are preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

8.4 Contaminated Equipment: Separate contaminated work clothes from street clothes and launder before reuse. Remove this material from your shoes and clean personal protective equipment.

8.5 Personal protective equipment

8.5.1 Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

8.5.2 Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton Splash contact: Viton

Viton is a Registered Trademark of DuPont Company.

8.5.3 Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

8.5.4 Skin and body protection

Impervious clothing, flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.



8.6 Protective Clothing Pictograms

ams Goggles

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

Section 9 - Physical and Chemical Properties

3.1
Physical State: Liquid
Appearance: Colorless to straw
Odor: Aromatic Hydrocarbon Odor
Vapor Pressure: Not Available
Vapor Density (Air=1): .2.6
Specific Gravity (H2O=1,): 0.76
Relative Density: Not Available
Odor Threshold: Not Available
Flammability (solid, gas): Not applicable.
Evaporation rate: Not Available
Partition coefficient octanol/water: Not Available

91

Water Solubility: Insoluble Flash Point: -40 °F, (-40 °C) Boiling Point/Range: 95 °F, (35 °C) Freezing/Melting Point: Not Available Auto ignition Temperature: Not Available LEL: 1% UEL: 9% Viscosity: 0.46 cSt 104°F,40°C Auto ignition Temperature: Not Available Decomposition temperature: Not Available pH: None

Section 10 - Stability and Reactivity

10.1 Stability: Stable under ordinary conditions of use and storage

10.2 Polymerization: Hazardous polymerization has not been reported

10.3 Chemical Incompatibilities: Strong oxidizing agents

10.4 Hazardous Decomposition Products: Combustion produces carbon monoxide and carbon dioxide

10.5 Conditions to Avoid: Avoid heat, sparks open flames and other ignition sources

Section 11- Toxicological Information					
11.1 Product Name Results Species Dose Exposure					
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	Oral LD50	Rat	<2000 mg/kg	None Listed	
2-Methyl-2-ethoxypropane Oral LD50 Rat 7150 mg/kg None Listed					

11.11.1 OECD Guideline 401 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause Oral Toxicity.

11.2 Route of Entry: Inhalation, Ingestion, Absorption, Skin and/or Eye Contact

11.3 Aspiration Hazard: European Chemical Agency Data Base shows that components of this product may be fatal if swallowed and enters airways.

11.4 Mutagenicity: OECD Guideline 476 Tests results found in the European Chemical Agency Data Base show components of this product to cause genetic defects

11.5 Skin Corrosion/Irritation: OECD Guideline 404 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause skin irritation. Repeated exposure may cause skin dryness or cracking.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

11.6 Serious Eye Damage/Irritation: OECD Guideline 405 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause serious eye irritation.

11.7 Reproductive toxicity: OECD Guideline 421 Tests results found in the European Chemical Agency Data Base show components of this product to cause damage to fertility or the unborn child.

11.8 Skin Sensitization OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause skin sensitivity.

11.9 Respiratory Sensitization OECD Guideline Tests results found in the European Chemical Agency Data Base show no components of this product to cause respiratory sensitivity.

11.10 Specific Target Organ Toxicity (Single Exposure): European Chemical Agency Data Base shows that components of this product may cause damage to the central nervous system (CNS).

11.11 Specific Target Organ Toxicity (Repeated Exposure): Contains material which may cause damage to the following organs: kidneys, lungs, liver, upper respiratory tract, skin, eyes, central nervous system (CNS).

11.12 Signs and Symptoms: Effects due to exposure may include: Headache, Dizziness, Drowsiness, Metabolic Acidosis, Coma, Seizures. Symptoms may be delayed

11.13 Carcinogenicity: OECD Guideline 453 Tests results found in the European Chemical Agency Data Base shows that components of this product to cause cancer.

Chemical Name	IARC	ACGIH	NTP	OSHA
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	Possibly carcinogenic to humans		Known to be a human carcinogen	Yes
2-Methyl-2-ethoxypropane	None Listed	None Listed	None listed	None Listed

Section 12 - Ecological Information

12.1

Product Name	Results	Species	Exposure
Blend of Aliphatic and Aromatic Hydrocarbons C-2 to C-20	Expected to be toxic to aquatic organisms. May cause long-term adverse		
2-Methyl-2-ethoxypropane	LC50 100 mg/l	Fish	96 hours

Toxicity: OECD Guideline 204 Test results found in the European Chemical Agency Data Base show components of this product to cause long-term toxicity to aquatic life.

12.2 Mobility: Floats on water

12.3 Persistence/degradability: Inconclusive technical data.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

12.4 Bioaccumulation: Inconclusive technical data.

12.5 Other adverse effects: Inconclusive technical data.

Section 13 - Disposal Considerations

13.1 Disposal: DO NOT REUSE EMPTY CONTAINER! Container should be completely emptied prior to discard. Container with residues should be considered to be hazardous wastes. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

Section 14 - Transport Information



ID No.: UN 1203 Shipping Name: Gasoline Hazard Class: 3 Packing Group: II Label: Flammable Placard: Flammable Marking: MARINE POLLUTANT 2, 2, 4-Trimethylpentane when shipping ground greater than 119 gallons single container or any quantity by water

14.2 TDG Canadian Transport Information



ID No.: UN 1203 Shipping Name: Gasoline Hazard Class: 3 Packing Group: II Label: Flammable Placard: Flammable Marking: MARINE POLLUTANT 2, 2, 4-Trimethylpentane not regulated if shipped by road or rail

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

14.3 IMDG Transport Information



ID No.: UN 1203 Shipping Name: GASOLINE Hazard Class: 3 Packing Group: II Flash Point: (-40°C c.c.) EmS Number: F-E, S-E Label: Flammable Placard: Flammable Marking: Marine Pollutant 2, 2, 4-Trimethylpentane

14.4 ADR/RID Transport Information



ID No.: UN 1203 Shipping Name: Gasoline Hazard Class: 3 Packing Group: II Label: Flammable Placard: Flammable Marking: Marine Pollutant 2, 2, 4-Trimethylpentane Classification Code: F1

14.5 Australian Dangerous Goods Transport Information



ID No.: ID No.: UN1203 Shipping Name: Gasoline Hazard Class: 3 Packing Group: II Label: Flammable Placard: Flammable Marking: Marine Pollutant 2, 2, 4-Trimethylpentane Marking: MARINE POLLUTANT The marine pollutant mark is only applicable for packages containing more than 5 liters for liquids.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

14.6 UN Dangerous Goods Transport Information



ID No.: ID No.: UN1203 Shipping Name: Gasoline Hazard Class: 3 Packing Group: II Label: Flammable Placard: Flammable Marking: Marine Pollutant 2, 2, 4-Trimethylpentane

Section 15 - Regulatory Information

15.1 US Regulations

US. Toxic Substances Control Act: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

CERCLA Hazardous Substances and corresponding RQs: 2, 2, 4-Trimethylpentane 1000 lbs '2-Methylbutadiene 100 lbs.

SARA Community Right-to-Know Program: 2, 2, 4-Trimethylpentane '2-Methylbutadiene

Clean Water Act: 2, 2, 4-Trimethylpentane

Clean Air Act: None

OSHA: All ingredients are regulated by 1910.1200

State Regulations

California prop. 65: 2-Methylbutadiene Cancer

Chemicals on the following State Right to Know Lists:

Massachusetts: All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements.

New Jersey All components of this product are on the New Jersey inventory or are exempt from Inventory requirements.

Pennsylvania: All components of this product are on the Pennsylvania Inventory or are exempt from Inventory requirements.

15.2 Canadian Regulation:

The following substances are specified on the public Portion of the Domestic Substances List (DSL): All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

15.3 Europe Regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (Including amendments) and take into account the intended product use.

Europe inventory:

All substances contained in this product are listed on the EU directives or are not required to be listed.

International Regulations:

Australian Inventory of Chemical Substance: All components of this product are on the Inventory or are exempt from Inventory requirements

National Existing Chemical Inventory in Taiwan: All components of this product are on Inventory or are exempt from Inventory requirements

Philippine Inventory of Chemicals and Chemical Substances All components of this product are on the Inventory or are exempt from Inventory requirements

China Existing Chemical Inventory: All components of this product are on the Inventory or are exempt from Inventory requirements

Section 16 - Other Information

16.1 Disclaimer: The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

16.2 References: CHEMpendium data base of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller on Line, European Chemical Agency Data Base and MSDS and SDS of chemicals in this mixture.

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

16.3 CHEMTREC in country emergency dial numbers:

CHEMTREC In-Country Dial Numbers	Local # Provided in Country	Toll Free in Country*	Greeting Language				
	AMERICAS						
CHEMTREC Argentina (Buenos Aires)							
CHEMTREC Brazil (Rio De Janeiro)	+(55)-2139581449		Portuguese				
CHEMTREC Cayman Islands	+(1)-345-749-8392		English				
CHEMTREC Chile (Santiago)	+(56)-225814934		Latin American Spanish				
CHEMTREC Colombia *	() ===	01800-710-2151	Latin American Spanish				
CHEMTREC Costa Rica*	+(506)-40003869		Latin American Spanish				
CHEMTREC Mexico*		01-800-681-9531	Latin American Spanish				
CHEMTREC Panama	+(507)-8322475		Latin American Spanish				
CHEMTREC Peru (Lima)	+(51)-17071295		Latin American Spanish				
CHEMTREC Trinidad and Tobago*	+(1)-868-224-5716		English				
	EUROPE		Linghish				
CHEMTREC Austria (Vienna)	+(43)-13649237		German				
CHEMTREC Austria (Vienna) CHEMTREC Belgium (Brussels)	+(32)-28083237		French, Flemish, German				
CHEMTREC Bulgaria (Plovdiv)	+(359)-32570104		Bulgarian				
CHEMTREC Croatia (Zagreb)	+(385)-17776920		Croatian				
CHEMTREC Croatia (Zagreb) CHEMTREC Czech Republic (Prague)	+(420)-228880039		Croatian				
CHEMTREC Denmark	+(45)-69918573		Danish				
CHEMTREC Estonia	+(372-6681294		Estonian				
	1		Estonian				
CHEMTREC Finland (Helsinki)	+(358)-942419014						
CHEMTREC France	+(33)-975181407	0000 404 7050	French				
CHEMTREC Germany *	.(40)	0800-181-7059	German				
CHEMTREC Germany (Frankfurt)	+(49)- 69643508409		German				
CHEMTREC Greece (Athens)	+(30)-2111768478		Greek				
CHEMTREC Hungary (Budapest)	+(36)-18088425		Hungarian				
CHEMTREC Ireland (Dublin)	+(353)-19014670		English and Irish				
CHEMTREC Italy *		800-789-767	Italian				
CHEMTREC Italy (Milan)	+(39)-0245557031		Italian				
CHEMTREC Latvia (Riga)	+(371)-66165504		Latvian				
CHEMTREC Lithuania (Vilnius)	+(370)-52140238		Lithuanian				
CHEMTREC Luxembourg	+(352)-20202416		French, German, Luxembourgish				
CHEMTREC Netherlands	+(31)-858880596		Dutch				
CHEMTREC Norway (Oslo)	+(47)-21930678		Norwegian				
CHEMTREC Poland (Warsaw)	+(48)-223988029		Polish				
CHEMTREC Portugal	+(351)-308801773		Portuguese				
CHEMTREC Romania	(+40)-37-6300026		Romanian				
CHEMTREC Russia*		8-800-100-6346	Russian				
CHEMTREC Serbia ++	N/A	N/A	Serbian				
CHEMTREC Slovakia (Bratislava)	+(421)-233057972		Slovak				
CHEMTREC Slovenia (Ljubljana)	+(386)-18888016		Slovene/Slovenian				
CHEMTREC Spain*	()	900-868538	European Spanish				
CHEMTREC Spain (Barcelona)	+(34)-931768545		European Spanish				
CHEMTREC Sweden (Stockholm)	+(46)-852503403		Swedish				
CHEMTREC Switzerland (Zurich)	+(41)- 435082011		Swiss German, French				
CUENTREC Turkey (later bul)	(00) 212 ZOEE240		and Italian				
CHEMTREC Turkey (Istanbul)	+(90)-212-7055340		Turkish				
CHEMTREC Ukraine	+(380)-947101374		Ukrainian				
CHEMTREC UK (London)	+(44)-870-8200418		English				

Conforms to OSHA CFR 29 1910.1200 and aligns to the United Nations Globally Harmonized System Conforms to The United Nations Regulation Globally Harmonized System The Workplace Hazardous Materials Information System (WHMIS 2015) Mexican Official Standard, NOM-018-STPS-2015, Harmonized System for the Identification and Communication of Hazards and Risks of Hazardous Chemicals in the Workplace Conforms to the Australian Preparation of Safety Data Sheets for Hazardous Chemicals under section 274 of the Work Health and Safety Act

16.3 CHEMTREC in country emergency dial numbers continued:

	MIDDLE EAS	Т		
CHEMTREC Bahrain (Bahrain)	+(973)-16199372		Arabic	
CHEMTREC Israel (Tel Aviv)	+(972)-37630639		Hebrew	
CHEMTREC Saudi Arabia*	+(966)-8111095861		Arabic and English	
CHEMTREC Kuwait National	+965-22274681		Arabic and English	
	SUB SAHARAN A	FRICA		
CHEMTREC South Africa*		0-800-983-611	English	
	EAST ASIA			
CHEMTREC Hong Kong (Hong Kong)*		800-968-793	Cantonese	
CHEMTREC Japan (Tokyo)	+(81)-345209637		Japanese	
CHEMTREC South Korea*		00-308-13-2549	Korean	
CHEMTREC South Korea	+(82) 070-7686-0086		Korean	
CHEMTREC Taiwan*		00801-14-8954	Mandarin	
	SOUTHEAST A	ŜIA		
CHEMTREC Indonesia*		001-803-017-9114	Indonesian	
CHEMTREC Malaysia *		1-800-815-308	Malay	
CHEMTREC Malaysia (Kuala Lumpur)	+(60)-327884561		Malay	
CHEMTREC Philippines *		1-800-1-116-1020	Tagalog	
CHEMTREC Philippines (Manila)	+(63) 2-395-3308		Tagalog	
CHEMTREC Singapore*		800-101-2201	English and Mandarin	
CHEMTREC Singapore	+(65)-31581349		English and Mandarin	
CHEMTREC Thailand *		001-800-13-203-9987	Thai	
CHEMTREC Vietnam (Hanoi)*	+(84)-444581938		Vietnamese	
	SOUTH ASIA	Γ		
CHEMTREC Bangladesh ⁺⁺	N/A	N/A	Bengali	
CHEMTREC India *		000-800-100-7141	Hindi	
AUSTRALIA & OCEANIA				
CHEMTREC Australia (Sydney)	+(61)-290372994		English	
CHEMTREC New Zealand (Auckland)*	+(64)-98010034		English	
*Phone numbers for cour	ntries marked with an ast	terisk must be dialed with	nin the country	
*Phone numbers for countries mai	rked with an asterisk mus	st be dialed within the co	untry.	

t Phone numbers marked with a double dagger have a DID and greeting ONLY supplied by CHEMTREC

16.4 SDS Preparation Date 12/09/2015

SDS Previous Issue Date: None SDS Revision Date: 09/05/2017 Prepared by SJC Compliance Education, Inc 16516 El Camino Real Suite 417 Houston, TX 77062